


## Eccentric Swaged Nipple



- Certificate: ISO
- Standard: ASME B16.11
- Material : Carbon steel ASTM A 105 / Stainless steel
- Type: Forged fitting
- Thread: NPT / BSPT
- W. pressure: Class 3000 / 6000
- Surface: Original / hot dip galvanized



### Available size

Size		OD at end	Length of small end	End to end
NPS	DN	OD1 * OD2	SL min	A
1/4" * 1/8"	8 * 6	13.7 * 10.3	20	57
3/8" * 1/8"	10 * 6	17.1 * 10.3	20	64
3/8" * 1/4"	10 * 8	17.1 * 13.7	20	64
1/2" * 1/8"	15 * 6	21.3 * 10.3	20	70
1/2" * 1/4"	15 * 8	21.3 * 13.7	20	70
1/2" * 3/8"	15 * 10	21.3 * 17.1	20	70
3/4" * 1/8"	20 * 6	26.7 * 10.3	20	76
3/4" * 1/4"	20 * 8	26.7 * 13.7	20	76
3/4" * 3/8"	20 * 10	26.7 * 17.1	22	76
3/4" * 1/2"	20 * 15	26.7 * 21.3	22	76
1" * 1/8"	25 * 6	33.4 * 10.3	20	89
1" * 1/4"	25 * 8	33.4 * 13.7	20	89
1" * 3/8"	25 * 10	33.4 * 17.1	22	89
1" * 1/2"	25 * 15	33.4 * 21.3	22	89
1" * 3/4"	25 * 20	33.4 * 26.7	22	89
1-1/4" * 1/8"	32 * 6	42.2 * 10.3	20	102
1-1/4" * 1/4"	32 * 8	42.2 * 13.7	20	102
1-1/4" * 3/8"	32 * 10	42.2 * 17.1	22	102
1-1/4" * 1/2"	32 * 15	42.2 * 21.3	22	102
1-1/4" * 3/4"	32 * 20	42.2 * 26.7	25	102
1-1/4" * 1"	32 * 25	42.2 * 33.4	25	102
1-1/2" * 1/8"	40 * 6	48.3 * 10.3	20	114

1-1/2" * 1/4"	40 * 8	48.3 * 13.7	20	114
1-1/2" * 3/8"	40 * 10	48.3 * 17.1	22	114
1-1/2" * 1/2"	40 * 15	48.3 * 21.3	25	114
1-1/2" * 3/4"	40 * 20	48.3 * 26.7	25	114
1-1/2" * 1"	40 * 25	48.3 * 33.4	25	114
1-1/2" * 1-1/4"	40 * 32	48.3 * 42.2	25	114
2" * 1/8"	50 * 6	60.3 * 10.3	20	165
2" * 1/4"	50 * 8	60.3 * 13.7	22	165
2" * 3/8"	50 * 10	60.3 * 17.1	22	165
2" * 1/2"	50 * 15	60.3 * 21.3	25	165
2" * 3/4"	50 * 20	60.3 * 26.7	30	165
2" * 1"	50 * 25	60.3 * 33.4	30	165
2" * 1-1/4"	50 * 32	60.3 * 42.2	30	165
2" * 1-1/2"	50 * 40	60.3 * 48.3	30	165
2-1/2" * 1/8"	65 * 6	73.0 * 10.3	22	178
2-1/2" * 1/4"	65 * 8	73.0 * 13.7	22	178
2-1/2" * 3/8"	65 * 10	73.0 * 17.1	22	178
2-1/2" * 1/2"	65 * 15	73.0 * 21.3	25	178
2-1/2" * 3/4"	65 * 20	73.0 * 26.7	25	178
2-1/2" * 1"	65 * 25	73.0 * 33.4	30	178
2-1/2" * 1-1/4"	65 * 32	73.0 * 42.2	30	178
2-1/2" * 1-1/2"	65 * 40	73.0 * 48.3	40	178
2-1/2" * 2"	65 * 50	73.0 * 60.3	40	178
3" * 1/8"	80 * 6	88.9 * 10.3	22	203
3" * 1/4"	80 * 8	88.9 * 13.7	22	203
3" * 3/8"	80 * 10	88.9 * 17.1	22	203
3" * 1/2"	80 * 15	88.9 * 21.3	25	203
3" * 3/4"	80 * 20	88.9 * 26.7	25	203
3" * 1"	80 * 25	88.9 * 33.4	30	203
3" * 1-1/4"	80 * 32	88.9 * 42.2	30	203
3" * 1-1/2"	80 * 40	88.9 * 48.3	40	203
3" * 2"	80 * 50	88.9 * 60.3	40	203
3" * 2-1/2"	80 * 65	88.9 * 73.0	40	203
4" * 1/4"	100 * 8	114.3 * 13.7	25	229
4" * 3/8"	100 * 10	114.3 * 17.1	25	229
4" * 1/2"	100 * 15	114.3 * 21.3	25	229
4" * 3/4"	100 * 20	114.3 * 26.7	30	229
4" * 1"	100 * 25	114.3 * 33.4	30	229
4" * 1-1/4"	100 * 32	114.3 * 42.2	40	229