



Malleable Iron Bushing



- Certificate: FM Approved / UL Listed / BSI / LPCB / NSF 61
- Size: DN8×6 - DN150×100
- Pressure: 2.5 Mpa / PN25
- Dimensions: BS EN10242
- Material: Malleable iron BS EN1562
- Threaded: BSPP (ISO228) / BSPT (ISO7-1)
- Surface: Black / Electrical galvanized / Hot-dip galvanized



Available size

SIZE		L (MM)	S(MM)	H(MM)	PCS/CTN.
1/4"×1/8"	8×6	18.5	16.8	6	1800
3/8"×1/8"	10×6	18	20	6	1500
3/8"×1/4"	10×8	18.5	18.4	6	1800
3/4 "x3/8"	15×8	22.5	22	6	500
3/4 "x 1/4"	15×10	22.5	22	6	600
1/2"×3/8"	20×8				960
1/2"×1/4"	20×10	24.5	29.6	6	900
3/4 "x1/2"	20×15				600
1 "x 1/4"	25×8				300
1 "x3/8"	25×10				300
1"x1/2"	25×15	28	37.4	6.5	300

1 "x3/4"	25×20				300
1-1/4"x1/2"	32×15				200
1-1/4"x3/4"	32×20	30	45.6	7	200
1-1/4"x1"	32×25				200
1-1/2"x1/2"	40×15				160
1-1/2"x3/4"	40×20				160
1-1/2"x1"	40×25	30	50	7.5	160
1-1/2"x1-1/4"	40×32				160
2 "x1/2"	50×15				96
2 "x3/4"	50×20	33	64.1	8.5	96
2 "x1"	50×25				96
2 "x1-1/4"	50×32				96
2"x1-1/2"	50×40				96
2-1/2"x1/2"	65×15				68
2-1/2"x3/4"	65×20				68
2-1/2"x1"	65×25				68
2-1/2"x1-1/4"	65×32	29	79.6	9	68
2-1/2"x 1-1/2"	65×40				68
2-1/2"x 2"	65×50				68
3 "x1/2"	80×15				36
3 "x3/4"	80×20				36
3 "x1"	80×25				36
3 "x 1-1/4"	80×32	42	93	10	36
3 "x1-1/2"	80×40				36
3 "x 2"	80×50				36
3 "x2-1/2"	80×65				36
4 "x 1/2"	100×15				18
4 "x3/4"	100×20				18
4 "x 1"	100×25				18
4"x 1-1/4"	100×32				18

4 "x1-1/2"	100×40	49	118.4	11	18
4 "x 2"	100×50				18
4"x2-1/2"	100×65				18
4 "x 3"	100×80				18
6"x3"	150×80	47	170.8	13	/
6"x 4"	150×100				/